Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S25	91	device adj3 configur$5 adj2 (individual$1y or separat$3y)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 18:15
S74	130	((((individual$3 or separate or separat$2ly) near3 power$3) same address$2)) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 18:19
S10 1	169981	(individual$3 or separat$4 or unique or independent) near10 (power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:23
S10 6	169981	(individual$3 or separat$4 or unique or independent) near10 (power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:24
S10 5	244	S104 same (address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:24
S10 2	435	S101 same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3) same (address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:24
S10 7	435	S106 same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3) same (address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:25
S10 3	298	S102 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:25
S11 1	221	S105 not S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:26

S11 0	298	S107 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:27
S10 4	14035	(individual$3 or separat$4 or unique or independent or different) adj (power) adj3 (line or suppl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:40
S11 2	144	S111 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:42
S11 9	269	S118 not S112 not S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:43
S11 7	404	S114 same address$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 16:43
S11 4	404	(individual$3 or separat$4 or unique or independent or different or sequential$3 or serial$3 or selectively) near5 (power$3) same address adj2 (line or bus or wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 17:41
S21	107	(((individual$3 or separate or separat$2ly) near3 power$3 with device) same address$2) and (power adj up or reset$4 or initializ$5 or configur$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 17:41
S12 3	105	S122.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 17:42
S12 1	1117	S120.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 17:42
S12 4	2	("6546441").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:18

S59	402	((((stand adj by or stand$1by or sleep or "off") adj3 (mode or state)) same address same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)) same power) not ((((stand adj by or stand$1by) with power) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)) not ("172".ab,ti. not ((((stand adj by or stand$1by) with power) same address) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:33
S12 5	142	(stand adj by or stand$1by or sleep or "off" or normal) adj3 (mode or state) with power with (address$2 or id or identification) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:34
S11 8	324	S117 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 18:35
S12 7	2	"6690655".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:02
S12 0	5995	(individual$3 or separat$4 or unique or independent or different or sequential$3 or serial$3 or selectively) with (power$3) with (address$2 or id or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:02
S12 2	1274	S120 same (power adj up or reset$4 or initializ$5 or configur$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:03
S54	1498	((stand adj by or stand$1by or sleep or "off") adj3 (mode or state)) same address same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:03

S131	11	S128 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:04
S133	11	S132 not S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:18
S132	22	S129 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:18
S136	46	S135 not S131 not S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:27
S135	68	S134 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:27
S138	126	S137 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:40
S139	58	S138 not S135 not S131 not S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:41
S141	2744	713/300,310,320,323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:50
S140	0	710/323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:50
S128	763	710/300,310,320,323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:50

S14 2	30	S141 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:51
S13 0	1142	S129 same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3 or power adj2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 15:51
S55	578	(((stand adj by or stand$1by or sleep or "off") adj3 (mode or state)) same address same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3)) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 16:04
S13 7	95677	(individual$3 or separat$4 or unique or independent or different or sequential$3 or serial$3 or selectively) same (power$3) same (address$2 or id or identification or configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3 or power adj2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 16:06
S14 8	320	S144 and 713/323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 16:07
S14 6	829	S144 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 16:07
S12 6	93	S125 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 16:07
S14 3	75022	(stand adj by or stand$1by or sleep or "off" or active or normal or suspend$3 or resum$3) adj3 (mode or state) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:20
S15 1	1379	S143 same (address$2 or id or identification) same (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3 or power adj2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:21

S14 4	17107	S143 same (address$2 or id or identification or configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3 or power adj2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:21
S15 2	86	S151 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 19:07
S14 9	281	S148 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:07
S15 4	0	S151 and 370/463.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:09
S15 5	91	S151.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:25
S15 3	70	S152 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:25
S15 0	0	370/463.ccls and power$3.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:25
S15 7	133	S151 same (individual$3 or separat$4 or unique or independent or different or sequential$3 or serial$3 or selectively) with (power$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 21:01
S12 9	5997	(individual$3 or separat$4 or unique or independent or different or sequential$3 or serial$3 or selectively) with (power$3) with (address$2 or id or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 21:01
S15 8	108	S157 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 21:02

S13 4	39658	(individual$3 or separat$4 or unique or independent or different or sequential$3 or serial$3 or selectively) with (power$3) same (address$2 or id or identification or configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3 or power adj2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 21:16
S15 9	323	(individual$3 or separat$4 or unique or independent or different or sequential$3 or serial$3 or selectively) near3 (power$3) same (address$2 or id or identification) with (configuring or configurat$4 or initializ$6 or reset$4 or restart$3 or reboot$3 or boot$3 or power adj2 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 21:17
S15 6	82	S155 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 21:17
S16 0	236	S159 and @ad<"20010622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:20
S16 1	2	"6075772".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:21